

# SEDONA<sup>™</sup> BY LYNX



## SEDONA READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## IMPORTANT SAFEGUARDS



### WARNING

Two to three people are needed to set up the island. Failure to do so may result in injury.



### WARNING

**Lifting hazard.**  
Single person lift could cause injury.  
Use assistance when moving or lifting.



### WARNING

Do not store or use gasoline or other flammable liquids in the vicinity of this or any other appliance.  
Do not store an extra LP bottle in the interior of the island.



### CAUTION

Never attempt to lift the island by the counter top as serious damage may occur.



Plan your island location prior to beginning any set up. The island must be installed and leveled in its final location. Moving the island once complete is not advised as damage may occur.

## Ready to Finish Island Orientation Configurations

Left Hand Orientation  
(Left Hand Grill Side)

\* ADD AN ADDITIONAL 1" FOR HEIGHT  
WHEN LEVELING LEGS ARE ADDED.



Right Hand Orientation  
(Right Hand Grill Side)



Left Hand Orientation  
(Right Hand Grill Side)

\* ADD AN ADDITIONAL 1" FOR HEIGHT  
WHEN LEVELING LEGS ARE ADDED.

Right Hand Orientation  
(Left Hand Grill Side)



# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

Congratulations on your purchase of the SEDONA by LYNX™ Ready to Finish Island. The prefabricated unfinished island can be assembled in no time at all. No tools are necessary for island assembly, but a Philips head screwdriver and a reciprocating saw are required for adjustments. The island comes ready for you to add your own personal touch in components, finishes and countertops. Multiple openings are provided for a variety of SEDONA by LYNX™ accessories.



Before you begin the island installation you will need to plan ahead. Some things to consider:

## **Power Supply and Venting:**

The Ready to Finish Island is not pre drilled or cut for power and venting access. You will have to cut through the rear panel to create access points where required. When venting, cut vents in your grill island that are at least 4" x 14" every 4-6' of island. The vents should be near the top for natural gas: closer to the bottom if using LP gas. Cover vents with louvered stainless steel covers if desired.

## **Island Orientation:**

While you have the option of a left hand or right hand orientation, it is important for proper operation that wind does not blow directly into the rear of the grill. Consider positioning the island to take advantage of natural wind breaks.

## **Leveling the Island:**

If the base is not level, adjust the legs before any of the panels are installed. If the island is not leveled correctly the panels could be misaligned and cannot be adjusted once assembly is complete. Once fully assembled, the island is difficult to move.

## **Assembling the Island:**

You will need assistance holding panels in place while assembling. The panels are large and heavy, therefore we recommend two people to avoid any injuries during assembly.

If you have any questions or comments please contact Lynx Customer Care:

Lynx Professional Grills


7300 Flores Street.

Downey CA 90242

Lynx Customer Care 888.289.5969



# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## Ready to Finish Island Components



# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## Parts List

Part Number	Description	Photo	Dimensions
34405	Wing Bolt X-Large		3/8-16 x 3 3/4 2 ea.
34401	Wing Bolt Large		3/8-16 x 2 3/4 2 ea.
35869	Wing Bolt Medium Large		3/8-16 x 2 1/4 4 ea.
34397	Wing Bolt Medium		3/8-16 x 1 3/4 12 ea.
34402	Wing Bolt Small		3/8-16 x 1 1/2 3 ea.
34851	Wing Nut		3/8-16 8 ea.
34404	Small Angle Bracket		12 ea.
34409	Step Bracket		3 ea.
34407	Medium C Bracket		2 ea.
34408	Large C Bracket		2 ea.
34396	Leveling Foot		16 ea.

# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## Step 1

### Unpacking the Box

Remove the staples and binding straps from the outside of the box. From inside the box, remove the foam and packing materials. Separate the island components from the box by Grill Island and Counter Island.

Counter Island: 2 end panels, 1 back panel, 1 base panel, and 1 counter top panel (see component list on pg.4)

Grill Island: 1 end panels, 1 back panel, 1 base panel, and 1 counter top panel (see component list on pg.4)

**We recommend 2 to 3 people perform setup operations.**



## Step 2

### Position and Level the Base

Place the island base on a level surface in its final location and proceed to verify the island base is level in all directions. The bottom panel has adjustable feet for this purpose. **DO NOT OMIT THIS STEP.** If the base is not leveled correctly the island will be misaligned. The base cannot be leveled and the island cannot be moved once the assembly complete. If you need to reposition the island you will have to disassemble the island and reassemble.



**Remember to situate the base panels in relation to the orientation you have chosen for the island.**



Island Base




Leveling Foot

# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS


## Step 3

### Assembling the Front, Rear and Side Panels of the Grill Island (*Parts GF, GR, GB, GS*)

The grill island base panel (*GB*) is equipped with tabs which correspond to cut slits on the front panel (*GF*). Line up the **3** slit openings on the front panel (*GF*) with the **3** corresponding tabs on the base panel (*GB*).



Assemble side (*GS*) and front panels (*GF*) together using **4** medium wing bolts to secure to the panels . Depending on your orientation (left or right side) you will attach the side panel (*GS*) on the grill island on the end that will be exposed.




# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## Step 3

### Assembling the Front, Rear and Side Panels of the Grill Island (*Parts GF, GR, GB, GS*) - continued

The rear panel (*GR*) has a notch on each edge and also slides under the tabs on the floor base (*GB*). Once in place attach rear panel (*GR*) to side panel with 4 medium wing bolts.


Floor size of the grill island is 29x89 ½.



## Step 4

### Assembling the Front, Rear and Side Panels of the Counter Island (*Parts CF, CR, CB, CS1, CS2*)

To assemble the counter island slide the front panel (*CF*) under the tabs on the base panel (*CB*). The side panel (*CS1*) has pre-attached bolts to fit into the pre-attached brackets on the front panel (*CF*).



# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## Step 4

### Assembling the Front, Rear and Side Panels of the Counter Island (Parts CF, CR, CB, CS1, CS2) - Continued

Secure the side panel (CS1) and front panel (CF) using 2 wing nuts on the bolts.




The rear panel (CR) has a notch on each edge and also slides under the tabs on the floor base (CB).

Once in place attach to rear panel (CR) with 2 wing nuts on the bolts of the side panel (CS1).

Assemble the second side panel (CS2) to the front panel (CF) and the back panel (CR) using 2 wing nuts on each side.

Base panel size of the counter island is 24 ¼ x 90



## Step 5

### Attaching the Grill and Counter Islands Together

Secure the grill island to the counter island with the supplied attaching bracket (AB).


Attach the bracket (AB) to the counter island frame by securing the medium wing bolts using 4 small hook brackets on the interior opening.

# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## Step 5

### Attaching the Grill and Counter Islands Together - continued

Connect the bracket to the front panel using 2 large "C" brackets with large wing bolts. To secure the bracket to the rear panel use 2 medium "C" brackets with Large wing bolts.



## Step 6

### Attaching the Grill Island Top

To secure top panel to the front panel (GT) use 3 step brackets with small wing nuts.



Secure the top panel (GT) to the rear panel (GR) in 4 places using small angle brackets with Medium Large wing



# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## Step 5

### Attaching the Counter Island Top

Attach the top counter (CT) to the front panel (CF) and rear panel (CR) using 8 small angle brackets with medium wing bolts.



---

#### Grill island hardware:

- 4 small angles
- 3 step brackets
- 3 small wing bolts
- 4 Medium Large wing bolts

#### Connector bracket hardware:

- 2 large C brackets
- 2 medium C brackets
- 2 X-large wing bolts
- 2 Large wing bolts

#### Counter island hardware:


- 8 small angles
- 8 medium wing bolts
- 8 wing nuts

# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## Sedona by Lynx™

### Ready to Finish Island Grill and Accessory Package

#### Grill Configuration Options



Shown cut for a L700 grill and LSA742 cabinet.




# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## Converting the Counter Island Top


Depending on your grill and cabinet size configuration, you may need to have panels and support bars removed for installation.



Remove the screws on the side panels




Grill top with the side panels removed  
(grill options labeled)



Front grill panel with side panels removed

# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS




Front and Grill top panel prior to cutting. These front bars will always need to be cut regardless of grill size.



Dependent on the size of grill, some bars will need to be cut.




Use of a reciprocating saw is recommended.



\*Power outlets shown in pictures, not included.

Front left

The front panel will need cuts due to accessory choice as well. Again, removing panels as needed.



\*Power outlets shown in pictures, not included.

Front right

## Please Note:

On the L600 grill, you will need to remove either the right hand panel and bar, or the left hand panel and bar. This depends on which way you choose to install, right side or left side.

# SEDONA by LYNX™ READY TO FINISH ISLAND ASSEMBLY INSTRUCTIONS

## SEDONA by LYNX™ Ready to Finish Island Limited Warranty

### I. Limited Warranty – Grill, Side-Burner, Doors, Drawers, and Refrigerator

For the warranty on the individual stainless steel island components, please see the warranties in their product Care & Use Manuals.

### II. Limited Lifetime Warranty – Island Frame Panels

The base, sides and counter-top of the island are warranted to be free from defects in material and workmanship, when subjected to normal domestic use and service, for a Lifetime. This warranty is limited to the repair or replacement of the defective parts.

### III. Limitations & Exclusions

1. This Warranty shall apply to products purchased and located in the United States and Canada. Products must be purchased in the country where service is requested.
2. Warranty applies only to the original purchaser and may not be transferred.
3. Warranty is in lieu of all other warranties expressed or implied and all other obligations or liabilities related to the sale or use of its grill products.
4. Warranty shall not apply and Lynx is not responsible for damage resulting from misuse, abuse, alteration of or tampering with the appliance, accident, hostile environment, flare-up fires, improper installation, or installation not in accordance with the instructions contained in this manual, or the local codes.
5. Lynx shall not be liable for incidental, consequential, special or contingent damages resulting from its breach of this written warranty or any implied warranty.
6. Some states do not allow limitations on how long an implied warranty lasts, or the exclusions of or limitations on consequential damages. This warranty gives you specific legal rights and you may have other rights which vary from state to state.
7. No one has the authority to add to or vary Lynx's warranty, or to create for Lynx any other obligation or liability in connection with the sale or use of its products.
8. Limited to the replacement of defective parts with the owner paying all other costs including labor.

### IV. What is not covered: Lynx shall not be responsible for and shall not pay for the following:

1. Installation or start-up, damages or problems caused by improper installation or use;
2. Service by an unauthorized service provider;
3. Damage or repair due to service by an unauthorized service provider or use of unauthorized parts;
4. Warranty does not apply to products installed in any commercial or non-residential application. Examples of excluded applications include, but are not limited to day care centers, schools, bed and breakfast centers, churches, private clubs, fire stations, club houses, common areas in multi-family dwellings, restaurants, hotels, nursing homes, food service locations and institutional food service locations.
5. To correct normal adjustments or settings, due to improper installation, commissioning or local gas supply properties;
6. Shipping and handling costs, export duties, installation, removal, or re-installation cost.
7. Display models are generally sold "as is." If you have purchased a display model, please be advised that it is sold "as is" and that it is subject to the following warranty exclusions: any exterior or cosmetic damage is non-warrantable; any missing components will be replaced at consumers expense; major handling damage to manifold, valve and ignition system will be serviced at consumer's expense; all other warranty's (standard warranty) will remain in effect.
8. The cost of a service call to diagnose trouble.



The best outdoor kitchen products come from:  
Lynx Grills, Inc 7300 Flores Street Downey, CA 90242  
Service: (888)-289-5969 Fax: (562)-299-6789  
[www.lynxgrills.com](http://www.lynxgrills.com)